

Custom All Aluminum Gooseneck and 5th Wheel Trailers

BUILT FOR SPEED

High Quality Trailers Built by Racers for Racers

SEMI, GOOSENECK, FIFTH WHEEL AND PULL-A-LONG TRAILERS

GRAY MOTORSPORTS TRAILER



Call for a Quote - 815.426.2761

www.tande-racetrailers.com

















































To Close Door

1. Push the power button to lower the door to the Lower Stop.
2. Lift up the door and hold it in the Lower Stop.
3. Push the UP button to bring the door back to the normal position.
4. Release the door and hold it in the normal position. Release the UP button and push the UP button.
5. Release the door and hold it in the normal position. Release the UP button and push the UP button.
6. Release the door and hold it in the normal position. Release the UP button and push the UP button.
7. Release the door and hold it in the normal position. Release the UP button and push the UP button.
8. Release the door and hold it in the normal position. Release the UP button and push the UP button.
9. Release the door and hold it in the normal position. Release the UP button and push the UP button.
10. Release the door and hold it in the normal position. Release the UP button and push the UP button.

It also has an emergency stop button (E-Stop) on the right side of the door.

**Operating Instructions
for T&E Enterprises Rear Lift Gate Door**

DANGER - EXTREMELY HEAVY DOOR

Failure to operate this door in the appropriate manner may result in serious injury or death. Substantial damage to door mechanism may also occur.

Please carefully read operating instructions and manual before operating the lift gate door.

Preparation must be performed before operating door

- 1. Make sure the door is closed and the lift gate is in the normal position.
- 2. Check the operating area in the lift gate area for obstacles, persons or other lift gate doors in the area.

To Open Door

1. Push the UP button to raise the lift gate to the normal position.
2. Push the UP button to raise the lift gate to the normal position.
3. Push the UP button to raise the lift gate to the normal position.
4. Push the UP button to raise the lift gate to the normal position.
5. Push the UP button to raise the lift gate to the normal position.
6. Push the UP button to raise the lift gate to the normal position.
7. Push the UP button to raise the lift gate to the normal position.
8. Push the UP button to raise the lift gate to the normal position.
9. Push the UP button to raise the lift gate to the normal position.
10. Push the UP button to raise the lift gate to the normal position.



your trailer.
Power down the hydraulic system by pushing the 'Off' button when done using the lift door.











































































DANGER
This equipment contains high voltage components. Do not touch or tamper with any electrical components. Do not attempt to repair or service this equipment. Only qualified personnel should be allowed to service this equipment. Failure to follow these instructions may result in serious injury or death.









Close doors and windows in order of separation (if installed) when any vehicle is present.
Do not fuel out of engines of stored vehicles after shutting off fuel at the tank.
Do not store, transport, or dispense fuel inside this vehicle.
Close the windows, openings, or air ventilation systems provided for entering the transportation area when vehicles are present.
Do not operate propane appliances, pilot lights, or electrical equipment when motorized vehicles are present.














CAUTION
TO REDUCE THE RISK OF FIRE, USE ONLY ON
CIRCUITS PROVIDED WITH 15 AMPERE BRANCH
CIRCUIT PROTECTION IN ACCORDANCE WITH THE
NATIONAL ELECTRICAL CODE, ARTICLE 76.

ATTENTION
POUR RÉDUIRE LES RISQUES D'INCENDIE, UTILISER
UNIQUEMENT SUR CIRCUITS POURVUS AVEC 15
AMPÈRES PROTECTION DE LA PROTECTION COURANT
SELON NATIONAL ELECTRICAL CODE, ARTICLE 76.





Eagle Performance Series
24 VOLT / 20 AMP
Model 2420
DeltaVolt
PRO Charging Systems
Made in the USA

CAUTION













