

# *Custom All Aluminum Gooseneck and 5<sup>th</sup> Wheel Trailers*

## **BUILT FOR SPEED**

*High Quality Trailers Built by Racers for Racers*

**SEMI, GOOSENECK, FIFTH WHEEL AND PULL-A-LONG TRAILERS**

## **POTACH GOOSENECK TRAILER**



Call for a Quote - 815.426.2761

[www.tande-racetrailers.com](http://www.tande-racetrailers.com)

























HERSCHER  
HOME OF THE TIGERS

SILVERADO  
3500 HD



HERSCHER  
HOME OF THE TIGERS











































































WINEGARD

DIRECTV

SONY

























































































 **POWERTECH**  
GENERATORS  
SOLUTIONS FOR MOBILE APPLICATIONS

WARNING  
ELECTRIC SHOCK  
Hazardous Voltage  
Do not touch  
energized parts  
unless qualified  
personnel are  
present.



### CAUTION

MAKE SURE COOLING SYSTEM  
IS PROPERLY FILLED BEFORE  
STARTING ENGINE.

DO NOT REMOVE CAP  
WHEN ENGINE IS HOT

WAIT AT LEAST 15 MIN AFTER  
STOPPING ENGINE BEFORE  
CAREFULLY REMOVING CAP

KEEP HANDS  
AWAY FROM  
MOVING PARTS

		PT-8K51C	
		SN	KNT27ABU27858
		CSM#	1003697
KW	8	VOLTAGE	120/240
PHASE	1	AMPS	66/33
HERTZ	60	POWER FACTOR	1.0
RPM	1800	INSULATION CLASS	F
DUTY	CONT.	AMBIENT	40 C.
FUEL	ULTRA LOW SULFUR DIESEL ONLY		
POWERTECH GENERATORS POWERTECHGENERATORS.COM		COBBURG, VA 24048 1-800-748-8227	

#### ⚠ WARNING

Read the manual before operating the generator. Failure to follow the instructions may result in property damage, personal injury, or death. The generator is not to be used for heating, drying, or any other purpose not intended by the manufacturer. The generator is not to be used in a confined space. The generator is not to be used in a hazardous environment. The generator is not to be used in a wet or damp environment. The generator is not to be used in a flammable or explosive atmosphere. The generator is not to be used in a high altitude environment. The generator is not to be used in a high temperature environment. The generator is not to be used in a high pressure environment. The generator is not to be used in a high vibration environment. The generator is not to be used in a high noise environment. The generator is not to be used in a high dust environment. The generator is not to be used in a high salt environment. The generator is not to be used in a high sulfur environment. The generator is not to be used in a high acid environment. The generator is not to be used in a high alkali environment. The generator is not to be used in a high oil environment. The generator is not to be used in a high grease environment. The generator is not to be used in a high dirt environment. The generator is not to be used in a high sand environment. The generator is not to be used in a high stone environment. The generator is not to be used in a high metal environment. The generator is not to be used in a high wood environment. The generator is not to be used in a high concrete environment. The generator is not to be used in a high brick environment. The generator is not to be used in a high masonry environment. The generator is not to be used in a high stone environment. The generator is not to be used in a high metal environment. The generator is not to be used in a high wood environment. The generator is not to be used in a high concrete environment. The generator is not to be used in a high brick environment. The generator is not to be used in a high masonry environment.





T.E. ENT.  
Auto-Haulers













**DIESEL  
FUEL ONLY**





MANUFACTURED BY / FABRIGUE PAR: T&E Enterprises of  
Hercher, Hercher IL      MFG 10/2021  
SERIAL / PNUM 11430 M125200 UN  
SERIAL / PNUM 11430 M125200 UN      IN THIS / PNUM LT235/RSR-16(C)  
SERIAL / PNUM 16 X 7  
COLD WEL. PRESS. / PRESS. DE COMPL. A / PNUM 756      WPA 110 Max.      PW / PNC  11000       11000  
THIS TRAILER CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.  
THIS TRAILER CONFORMS TO ALL APPLICABLE CANADIAN REGULATIONS UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. © TRAILER CO.  
CONTIENE UN FOTOCOPIA DE LOS REGISTROS DE APPLICABLES DE SEGURIDAD EN EL MOMENTO DE LA FABRICACION Y FOTOCOPIA DE LOS REGISTROS DE SEGURIDAD EN EL MOMENTO DE LA FABRICACION.  
S/N: 11430 M125200V39M1230963      TYPE / TYPE: TRAILER TRAILER      P.O. BOX 1000













DOMETIC



WINEGARD  
Fold-Thru 50

MAX-AIR II





Carefree

Carefree



























*PerformAIRE*  
PRO























XM RADIO ID: 7N2AMDC3

SONY

REVERSE  
POWER OFF





Performance  
PRO





















